TREACLE MUSTARD.

NAMES.

A. تدري
G. Θλασκη.
L. Thlaspi.
I. Thlaspi.
G. Bisemkraut.
F. Senevé sauvage.
S. Pan y quesillo.
D. Boerekers.

PARTS USED.

The Seed only.

PREPARATIONS.

It is used in Methridate & the Theriaca.



PLACE.

In Corn Fields.

TIME.

May and June.

DESCRIPTION.

The Root is small and Woody from which arises a Cranell, light green Stalk 1, bending a little at the Leaves 2, which are of a light Green. The Leaves have small Wings dividing on each side the Stalk, Serrated, of a good Green, smooth but not shining, the Backs are lighter. The Flower Cups 3, are in four parts. The Flowers 4 have each of them four white Leaves, with four Chives, Apices and Style of the same Colour. The Pouch or seed Vessel 6, is coverd with two thin Skins, which form a thin but solid border round it, the Seed Vessel grows in two Cells. 7 The skin that Covers the Seeds is of a lighter green, than the Border. 3, 4, 5, are Magnified. 5, is one flower intire.

VIRTUES.

The Seed is Warm, Drying, and used as a Diuretick.

T. Sheldrake delin. C.M. Henrich Sculp.

M. H. S.

TIMOTHY SHELDRAKE *Botanicum Medicinale (An Herbal of Medicinial Plants)* LONDON, 1759 CHICAGO BOTANIC GARDEN Octavo